

IDL-4N3

**1 NEEDLE 3 THREADS ROPE WITH NET OVEREDGING
SEWING MACHINE**



IDL-4N3 is a 3-thread overedging sewing machine for attaching rope on nets.



MACHINE SPECIFICATION:


- * Speed : 1,200 r.p.m.
- * Needle: 1
- * Thread : 3
- * Stitch Range : 4 ~ 12 mm
- * Seam Width : 12 mm
- * Thickness of Rope: 10 mm




IDL-2605

POWERFUL 4 X 4 TWIN PULLER


INSTALLED ON IDL-81500-CZ-P AND IDL-4N3



*IDL-2605 Powerful 4x4 Twin Puller is made for **IDL-81300** **IDL-81500** and **IDL-4** series. It has two top and two bottom gear rollers which pull the material forward. It use the **Air Foot Lifter** system which consist of air cylinder and foot switch to control the gear roller lifting.*



**2 TOP AND 2 BOTTOM
GEAR ROLLERS**



INSTALLED ON THE MACHINE



OTHER ACCESSORIES



AFL-813 AIR FOOT LIFTER

The Air Foot Lifter consist of air cylinder and foot switch to control the lifting of the presser foot and the gear roller of the IDL-2605 Twin Puller.



G60-1-00-220 SERVO MOTOR

The Servo Motor is light weight and energy-saving. It has variable speed adjustment and is silent when the pedal is not engaged. The adjusted speed remains the same no matter how hard the pedal is pressed.

**MOUNTING HOLES ALREADY DRILLED
ACCORDING TO MACHINE SIZE.**

