

IDL-4N3

1 NEEDLE 3 THREADS ROPE WITH NET OVEREDGING
SEWING MACHINE



IDL-4N3 is a 3-thread overedging sewing machine for attaching rope on nets.



MACHINE SPECIFICATION:


- * Speed : 1,200 r.p.m.
- * Needle: 1
- * Thread : 3
- * Stitch Range : 4 ~ 12 mm
- * Seam Width : 12 mm
- * Thickness of Rope: 10 mm



IDL-2605

POWERFUL 4 X 4 TWIN PULLER

INSTALLED ON IDL-81500-CZ-P AND IDL-4N3



IDL-2605 Powerful 4x4 Twin Puller is made for IDL-81300 IDL-81500 and IDL-4 series. It has two top and two bottom gear rollers which pull the material forward. It use the Air Foot Lifter system which consist of air cylinder and foot switch to control the gear roller lifting.



**2 TOP AND 2 BOTTOM
GEAR ROLLERS**



INSTALLED ON THE MACHINE



OTHER ACCESSORIES



AFL-813 AIR FOOT LIFTER

The Air Foot Lifter consist of air cylinder and foot switch to control the lifting of the presser foot and the gear roller of the IDL-2605 Twin Puller.



G60-1-00-220 SERVO MOTOR

The Servo Motor is light weight and energy-saving. It has variable speed adjustment and is silent when the pedal is not engaged. The adjusted speed remains the same no matter how hard the pedal is pressed.

**MOUNTING HOLES ALREADY DRILLED
ACCORDING TO MACHINE SIZE.**

