

IDL-81500-EXCZ-P




1 NEEDLE 3 THREADS EXTRA HEAVY ROPE WITH NET OVEREDGING SEWING MACHINE

IDL-81500-EXCZ-P is a 3-thread overedging sewing machine for attaching Extra Heavy Duty rope on nets with IDL-2605 Powerful Twin Puller and AFL-813 Air Foot Lifting.



MACHINE SPECIFICATION:


- * Speed : 1,200 r.p.m.
- * Needle: 1
- * Thread : 3
- * Stitch Range : 4 ~ 12 mm
- * Seam Width : 15 mm
- * Thickness of Rope: 25 mm




IDL-2605

POWERFUL 4 X 4 TWIN PULLER


INSTALLED ON IDL-81500-CZ-P AND IDL-4N3



*IDL-2605 Powerful 4x4 Twin Puller is made for **IDL-81300** **IDL-81500** and **IDL-4** series. It has two top and two bottom gear rollers which pull the material forward. It use the **Air Foot Lifter** system which consist of air cylinder and foot switch to control the gear roller lifting.*



**2 TOP AND 2 BOTTOM
GEAR ROLLERS**



INSTALLED ON THE MACHINE



OTHER ACCESSORIES



AFL-813 AIR FOOT LIFTER

The Air Foot Lifter consist of air cylinder foot switch to control the lifting of the pr foot and the gear roller of the IDL-2605 7 Puller.



G60-1-00-220 SERVO MOTOR

The Servo Motor is light weight and energy saving. It has variable speed adjustment is silent when the pedal is not engaged adjusted speed remains the same no matter how hard the pedal is pressed.

MOUNTING HOLES ALREADY DRILLED ACCORDING TO MACHINE SIZE.




TABLE TOP

LEG STAND (SUPPLIED WITH PEDAL)

MOTOR

*and
resser
win*

*nergy-
nt and
d. The
natter*